

University of California IPFP, IPM, and WPMA Pest Update #7
Tehama County 5/8/06

IPFP = Integrated Prune Farming Practices
 IPM = Integrated Pest Management
 WPMA = Walnut Pest Management Alliance

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	4/27	-	-	-	5.3	15.3	207
ORIENTAL FRUIT MOTH	3/20	-	-	-	5.3	20.3	611
PEACH TWIG BORER	-	-	-	-	0	0	0
NAVEL ORANGE WORM	-	-	-	-	0	0	0
SAN JOSE SCALE	4/24	-	-	-	-	14.3	231

We caught our first male Codling Moths on 4/27 since we continued catching we used that date as the male biofix and started accumulating degree days from that date . So the 207 DD is from the first biofix. If a treatment is necessary, IPM suggests timing the spray at 300 DD. With 93 remaining at 20 DD per day we are about 4 days away from first spray timing. Female Codling moth catches and egg laying also agree with that timing.

Richard P. Buchner & Cyndi K. Gilles
 Orchard Advisor & Research Associates
 UC Cooperative Extension Tehama County
 (530) 527-3101