

University of California IPFP, IPM, and WPMA Pest Update #14  
Tehama County 6/26/06

IPFP = Integrated Prune Farming Practices  
 IPM = Integrated Pest Management  
 WPMA = Walnut Pest Management Alliance

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	4/27	6/22	-	-	3.0	27.8	111
ORIENTAL FRUIT MOTH	3/20	5/22	-	-	6.8	33.3	864
PEACH TWIG BORER	5/11	-	-	-	2.3	27.8	913
NAVEL ORANGE WORM	5/26	-	-	-	0.0	24.5	518
SAN JOSE SCALE	4/24	-	-	-	-	27.3	1155

We set the second biofix for Codling moth at 6/22. Most spray materials are timed at egg hatch which is 200-250 DD after the second biofix so we have about 100 DD or about 4 days to go. Additional Codling Moth info is available at the UC IPM website <http://www.ipm.ucdavis.edu>.

Richard P. Buchner , Cyndi K. Gilles & Kari Resch  
 Orchard Advisor & Research Associates  
 UC Cooperative Extension Tehama County  
 (530) 527-3101