

University of California IPFP, IPM, and WPMA Pest Update #7
Tehama County 4/30/07

IPFP = Integrated Prune Farming Practices
 IPM = Integrated Pest Management
 WPMA = Walnut Pest Management Alliance

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	3/26	-	-	-	1.0	18.0	301
ORIENTAL FRUIT MOTH	3/5	-	-	-	6.3	23.0	749
PEACH TWIG BORER	4/2	-	-	-	24.3	17.8	253
NAVEL ORANGE WORM	4/30	-	-	-	1.2	-	0
SAN JOSE SCALE	3/19	-	-	-	-	16.8	345

Codling moth degree days are 301 after the 3/26 biofix. UC IPM suggests 300 degree days if you plan to treat the over wintering generation.

We had 19 Navel Orange Worm eggs on traps in the Almonds we monitor. That is slightly early compared to previous years.

Additional Pest management information is available at the UC IPM website.
<http://www.ipm.ucdavis.edu>.

Richard P. Buchner and Cyndi K. Gilles
 Orchard Advisor & Research Associate
 UC Cooperative Extension Tehama County
 (530) 527-3101