

University of California IPFP, IPM, and WPMA Pest Update #11  
Tehama County 5/28/07

IPFP = Integrated Prune Farming Practices  
 IPM = Integrated Pest Management  
 WPMA = Walnut Pest Management Alliance

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	3/26	-	-	-	.25	20.5	754
ORIENTAL FRUIT MOTH	3/5	5/10	-	-	2.2	25.5	404
PEACH TWIG BORER	4/2	-	-	-	1.6	20.3	706
NAVEL ORANGE WORM	4/30	-	-	-	0	15.5	330
SAN JOSE SCALE	3/19	-	-	-	-	19.5	773

Codling moth degree days are 754 after the 3/26 biofix. In the walnuts that we monitor we have not measured significant moth increases typical for the "1B" Trap increases in the 900 to 1000 DD range should be the next generation.

The second OFM biofix is 5/10

Additional Pest management information is available at the UC IPM website.  
<http://www.ipm.ucdavis.edu>.

Richard P. Buchner and Cyndi K. Gilles  
 Orchard Advisor & Research Associate  
 UC Cooperative Extension Tehama County  
 (530) 527-3101