

University of California IPFP, IPM, Pest Update #6  
Tehama County 4/28/08

IPFP = Integrated Prune Farming Practices  
IPM = Integrated Pest Management

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	3/24	-	-	-	10.7	16.7	260
ORIENTAL FRUIT MOTH	3/5	-	-	-	0.1	21.7	548
PEACH TWIG BORER	4/10	-	-	-	0.9	17.0	177
NAVEL ORANGE WORM	-	-	-	-	-	-	-
SAN JOSE SCALE	4/25	-	-	-	-	16.3	49

For the Cone Grove area of Tehama County we have a good biofix at 3/24 Moth activity is at 10 moths per night and we have accumulated 260 Degree Days. UC IPM suggests conventional insecticide spray timing at 300 Degree days. At 16 DD per day we will soon hit 300.

Additional Pest management information is available at the UC IPM website.  
<http://www.ipm.ucdavis.edu>.

Richard P. Buchner and Cyndi K. Gilles  
Orchard Advisor & Research Associate  
UC Cooperative Extension Tehama County  
(530) 527-3101