

University of California IPFP, IPM, Pest Update #10
Tehama County 5/27/08

IPFP = Integrated Prune Farming Practices
IPM = Integrated Pest Management

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	3/24	-	-	-	4.0	10.8	741
ORIENTAL FRUIT MOTH	3/5	-	-	-	.75	15.8	1172
PEACH TWIG BORER	4/10	-	-	-	.55	11.0	658
NAVEL ORANGE WORM	-	-	-	-	-	-	-
SAN JOSE SCALE	4/25	-	-	-	-	10.0	509

Codling moth in the orchard we monitor are at 741 Degree days using the 3/24 biofix. Trap catches are increasing which could be the "1B" particularly if the first biofix was a little early.

Very few PTB and OFM in our almond orchard traps. Still no second biofix for OFM

No NOW egg laying has been detected either

Additional Pest management information is available at the UC IPM website.
<http://www.ipm.ucdavis.edu>.

Richard P. Buchner and Cyndi K. Gilles
Orchard Advisor & Research Associate
UC Cooperative Extension Tehama County
(530) 527-3101