

University of California IPFP, IPM, Pest Update #12
Tehama County 6/9/08

IPFP = Integrated Prune Farming Practices
IPM = Integrated Pest Management

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	3/24	-	-	-	4.8	21.0	970
ORIENTAL FRUIT MOTH	3/5	5/19	-	-	1.3	26.3	441
PEACH TWIG BORER	4/10	-	-	-	1.1	21.3	887
NAVEL ORANGE WORM	-	-	-	-	-	-	-
SAN JOSE SCALE	4/25	-	-	-	-	20.3	725

Codling moth in the orchard we monitor are at 970 Degree days using the 3/24 biofix. Trap catches appear to be increasing suggesting the start of the second flight.

Very few PTB and OFM in our almond orchard traps. Notice the second biofix for OFM and no biofix for NOW

It's not too early to start thinking about getting Walnut Husk Fly traps. In our Dairyville traps we usually catch first female flies with eggs about July 1

Additional Pest management information is available at the UC IPM website.
<http://www.ipm.ucdavis.edu>.

Richard P. Buchner and Cyndi K. Gilles
Orchard Advisor & Research Associate
UC Cooperative Extension Tehama County
(530) 527-3101

