

University of California IPFP, IPM, Pest Update #13
Tehama County 6/16/08

IPFP = Integrated Prune Farming Practices
IPM = Integrated Pest Management

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	3/24	-	-	-	0	24.3	1143
ORIENTAL FRUIT MOTH	3/5	5/19	-	-	.25	29.0	650
PEACH TWIG BORER	4/10	-	-	-	2.9	24.0	1060
NAVEL ORANGE WORM	-	-	-	-	.33	-	-
SAN JOSE SCALE	4/25	-	-	-	-	23.0	892

Codling moth in the orchard we monitor are at 1143 Degree days using the 3/24 biofix.

It's not too early to start thinking about getting Walnut Husk Fly traps up. We caught our first Husk Fly (male) on 6/13. In our Dairyville traps we usually catch first female flies with eggs about July 1.

Additional Pest management information is available at the UC IPM website.
<http://www.ipm.ucdavis.edu>.

Richard P. Buchner and Cyndi K. Gilles
Orchard Advisor & Research Associate
UC Cooperative Extension Tehama County
(530) 527-3101