

University of California IPFP, IPM, Pest Update #2  
Tehama County 4/6/09

IPFP = Integrated Prune Farming Practices  
IPM = Integrated Pest Management

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	3/30	-	-	-	.75	8.6	60
ORIENTAL FRUIT MOTH	3/16	-	-	-	0	10.0	255
PEACH TWIG BORER	-	-	-	-	-	-	-
NAVEL ORANGE WORM	-	-	-	-	0	-	-
SAN JOSE SCALE	-	-	-	-	-	-	-

Notice we set the Tehama Codling Moth Biofix for 3/30/09. Those traps are in Ashley Walnuts in the Cone grove area of Tehama County. We have good consistent catches of Male moths. If you are experimenting with pheromone puffers be sure to use combo lures to monitor moth populations.

Additional Pest management information for Codling moth is available at the UC IPM website.  
<http://www.ipm.ucdavis.edu>.

Richard P. Buchner and Cyndi K. Gilles  
Orchard Advisor & Research Associate  
UC Cooperative Extension Tehama County  
(530) 527-3101