

University of California IPFP, IPM, Pest Update #4
Tehama County 4/20/09

IPFP = Integrated Prune Farming Practices
IPM = Integrated Pest Management

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	3/30	-	-	-	6.5	14.0	179
ORIENTAL FRUIT MOTH	3/16	-	-	-	0	18.5	439
PEACH TWIG BORER	-	-	-	-	.13	-	-
NAVEL ORANGE WORM	-	-	-	-	0	-	-
SAN JOSE SCALE	-	-	-	-	-	-	-

Notice we set the Tehama Codling Moth Biofix for 3/30/09. Those traps are in Ashley Walnuts in the Cone grove area of Tehama County. We have good consistent catches of Male moths. Our trap catches increased dramatically about April 15th as the weather warmed. We are getting good consistent catches using traps with “Combo” lures. Additional Pest management information for Codling moth is available at the UC IPM website. Particularly degree day accumulations for first spray application. <http://www.ipm.ucdavis.edu>.

Richard P. Buchner and Cyndi K. Gilles
Orchard Advisor & Research Associate
UC Cooperative Extension Tehama County
(530) 527-3101