

University of California IPFP, IPM, Pest Update #20
Tehama County 8/10/09

IPFP = Integrated Prune Farming Practices
IPM = Integrated Pest Management

INSECT	FIRST BIOFIX	SECOND BIOFIX	THIRD BIOFIX	FOURTH BIOFIX	ACTIVITY MOTHS/DAY	AVG. DEG. DAYS/DAY	DAY DEGREES FROM BIOFIX
CODLING MOTH	3/30	6/11	7/23	-	1.0	22.3	471
ORIENTAL FRUIT MOTH	3/16	5/18	6/25	7/27	.38	27.8	430
PEACH TWIG BORER	4/20	6/18	7/31	-	6.9	22.3	243
NAVEL ORANGE WORM	-	-	-	-	0	-	-
SAN JOSE SCALE	-	-	-	-	0	-	-

We had a third Codling moth biofix on 7/23 and are currently at 471 day degrees. Additional Pest management information for Codling moth is available at the UC IPM website <http://www.ipm.ucdavis.edu>.

Watch walnut husk fly traps carefully and treat when you find first females with eggs. Our walnut Husk fly traps caught lots of flies over the weekend. Watch carefully and treat when you find females with eggs. Females have blond front legs and the eggs look like grains of rice when you squish the abdomen.

Richard P. Buchner and Cyndi K. Gilles
Orchard Advisor & Research Associate
UC Cooperative Extension Tehama County
(530) 527-3101